

FAITH DAY CARE CENTER

1078 GUMTREE ROAD
WINSTON-SALEM, NC

2 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: May 6, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were All Equipment and Furnishings Were Not in Good Repair. (2), A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1), and Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background... (1). None of the 5 findings were critical.

Inspection Visits

May 6, 2026 3 Findings ● 3 Important

● **All Equipment and Furnishings Were Not in Good Repair.**

Outside on the playground area, there were broken chairs, broken wheels on small riding cars and a gate that was hanging off the fence and a broken pipe cover on a handwashing sink in space 3. Violation confirmed corrected by lett

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

All children must wear shoes in the event they have to evacuate the facility. Today the infants were outside in a small play area with no shoes on. Violation confirmed corrected by letter received from provider o

● **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years for the date of issuance). Three staff did not renew their

Dec 3, 2025 2 Findings ● 2 Important

● **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. Drinking cups in the toddler room were not labeled. Violation confirmed corrected by letter received from provider on 12/

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Equipment and Furnishings Were Not in Good Repair.**

Outside on the playground area there were several broken toys and a broken gate in the small play area. There was a roof top to a playhouse on the large play area that was broken. Broken chairs and trucks were present on the large

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.