

SILVER VALLEY ELEMENTARY

11161 EAST OLD HWY 64
LEXINGTON, NC

3 Inspection Visits Since 2024 · 3 Findings · 0% Corrected at Visit

Most recent inspection: Sep 8, 2025

● 3 Important

Across 3 inspections since 2024, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1), and A Drug or Medication Was Administered Without Written Authorization And/or Instructions From a Child's Parent or Authorized Health Professional. (1). None of the 3 findings were critical.

Inspection Visits

Sep 8, 2025 1 Finding ● 1 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last inspection was conducted on 3/19/24

Mar 10, 2025 1 Finding ● 1 Important

- **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

The last fire drill was conducted on January 29, 2025. Violation confirmed corrected by letter received from provider on 3/12/2025

Apr 15, 2024 1 Finding ● 1 Important

- **A Drug or Medication Was Administered Without Written Authorization And/or Instructions From a Child's Parent or Authorized Health Professional.**

One child with an Epi pen did not have a permission form signed by the parent to administer this medication. Violation confirmed corrected b

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.