

HEAVENLY CHILD CARE

4847 MALPASS CORNER ROAD
BURGAW, NC

1 Inspection Visit Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Sep 3, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Surfacing Did Not Extend Six (6) Feet Beyond the External Limits of the Equipment or 3 Feet for Equipment Used Only by Children Less Than 2 Years of Age. (1), Swings Did Not Have Surfacing That Extends Two Times the Length of the Pivot Point to the Surface Below Beyond the External Limits of the Equipment. (1), and Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet. (1). None of the 5 findings were critical.

Inspection Visits

Sep 3, 2025 5 Findings ● 5 Important

● **Surfacing Did Not Extend Six (6) Feet Beyond the External Limits of the Equipment or 3 Feet for Equipment Used Only by Children Less Than 2 Years of Age.**

The fall zone of the yellow and blue climber with slide and tunnel did not extend 6 feet in all directions as it was on the edge of

● **Swings Did Not Have Surfacing That Extends Two Times the Length of the Pivot Point to the Surface Below Beyond the External Limits of the Equipment.**

The yellow and blue climber with slide and tunnel was anchored within the fall zone of the swings. Violation confirmed corrected by lett

● **Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet.**

The top of the fence, less than six feet, was not free from protrusions. As sand has been added to the playground sections of the fence measure 2 feet 10 inches and 3 feet in height from the top of the surfac

● **Documentation of Staff's On-going Training Was Not on File And/or Was Not Current .**

This information must be on file and available for review for each staff member. Violation confirmed corrected by letter received from provider on 9/17/2025

● **Child Care Providers Scheduled to Work in the Infant Room, Did Not Complete ITS-SIDS Training Every Three Years.**

IT-SIDS training for teacher for infant room expired in November 2024. Administrator states IT-SIDS training has been renewed however, verification was not available. Viol

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.