

SUNSHINE SCHOLARS ACADEMY

603 GASTON BOULEVARD
NEW BERN, NC

2 Inspection Visits Since 2026 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Jun 1, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Children Between 12 and 24 Months of Age Were Grouped with Children 3 Years of Age or Older. (1), Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), and A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1). None of the 5 findings were critical.

Inspection Visits

Jun 1, 2026 1 Finding ● 1 Important

● **Children Between 12 and 24 Months of Age Were Grouped with Children 3 Years of Age or Older.**

On the toddler playground, space #2 and space #3 were combined so that fifteen (15) children, 1-3 years of age were in care with two staff members. Violation pending provider response

May 27, 2026 4 Findings ● 4 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. A fire inspection was completed on 2/10/25 a

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

An activity plan was not posted in space #1. Violation corrected during visit

Corrected at visit

● **An Individual Written Feeding Plan Was Not Provided by Child's Parent or Health Care Provider or Was Not Followed and Posted. (Omit Posting for Centers Located...**

in a residence) One infant in space #1 did not have a feeding plan on file. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

On the toddler outdoor space, there were exposed spikes around the stationary vehicles and tunnels. There was a fenced area around the water meter on the toddler outdoor space that was bent causing entrapment and

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.