

ABERDEEN ELEMENTARY PRESCHOOL

525 FARRELL PARKWAY
ABERDEEN, NC

2 Inspection Visits Since 2026 · 5 Findings · 20% Corrected at Visit

Most recent inspection: May 21, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Certified Developmental Day Center Staff/child Ratios and Group Sizes Were Not Met. (1), A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), and Special Diet or Food Allergy Information Was Not Posted Where They Can Be Seen in Food Preparation and Eating Areas. (1). None of the 5 findings were critical.

Inspection Visits

May 21, 2026 1 Finding ● 1 Important

● **Certified Developmental Day Center Staff/child Ratios and Group Sizes Were Not Met.**

In Classroom 407 there were two teachers present with fifteen children between the ages of 3 and 5 years old. Violation confirmed corrected by follow-up visit made by consultant on 6/3/2026

Apr 1, 2026 4 Findings ● 4 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

The activity plan posted in both classrooms were not current. Violation confirmed corrected by letter received from provider on 4/15/2026

● **Special Diet or Food Allergy Information Was Not Posted Where They Can Be Seen in Food Preparation and Eating Areas.**

This was not posted in space 105 for one child with a food allergy. Violation confirmed corrected by letter received from provider on 4/15/2026

● **When Children 3 Years and Older Were in Care, Screen Time Was Not Used to Stimulate a Developmental Domain; Was Not Limited to 30 Minutes a Day and No More...**

than a total of two and a half hours per week, per child; and/or was not documented on a cumulative log or the activity plan that

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Equipment and Furnishings Were Not in Good Repair.**

There was a metal dump truck on the playground that was not in good repair. It had areas that were rusted and sharp edges. This was corrected during the visit when it was removed from the playground so children didn't have acces

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.