

## AL-HUDA ACADEMY

5104 REVERE ROAD  
DURHAM, NC

### 1 Inspection Visit Since 2026 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 29, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Child Care Providers, Including the Director, Uncompensated Providers, Substitute Providers, and Volunteers Did Not Have the Required Emergency Information... (1), Prior to Employment a Criminal Background Check Was Not Completed. (1), and The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment. (1). None of the 5 findings were critical.

### Inspection Visits

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**Apr 29, 2026** 5 Findings ● 5 Important

● **Child Care Providers, Including the Director, Uncompensated Providers, Substitute Providers, and Volunteers Did Not Have the Required Emergency Information...**

Form on file on or before the first day of work, which included all the required information and/or the information on the form w

● **Prior to Employment a Criminal Background Check Was Not Completed.**

Two employees did not have an acceptable criminal background check on file for review during today's visit. Violation pending provider response

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

There was less than 2 inches of mulch around the climbing structure fall zones on the playground for the children ages 3 to 5 years. Violation confirmed corrected by letter received from provider on 5/

● **At Least One Staff Member Counted to Comply with the Rule Did Not Complete the Training in Playground Safety Within Six Months of Employment Date.**

No staff member had a playground safety training certificate available for review during today's visit. Violation confirmed corrected by I

● **Designated Emergency Medication Was Not Stored Out of Reach of Children at Least Five Feet High, but Not Required to Be in Locked Storage.**

A child's epi-pen was stored in the EPR bag which was hanging less than five feet high. This a violation of a requirement in 10A NCAC 09.1719(a)(5)

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.