

LAKEFOREST ELEMENTARY PRE K

3300 BRIARCLIFF DRIVE
GREENVILLE, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jan 29, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

Jan 29, 2026 3 Findings ● 3 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. There were eleven (11) open outlets in the hall

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. Staff employed on 8/18/25 had a first aid certificati

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. Staff employed on 8/18/25 had a CPR certification

Oct 9, 2025 2 Findings ● 2 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. One canister of C

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Prescribed Medicine Was Not in Original Labeled Container or Accompanied by Signed and Dated Written Instructions From Prescribing Physician or Health Care...**

professional. The original labeled box for one Ventolin inhaler was not present during the visit. Violation confirmed corrected b

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.