

NAZIR & NAZIYA'S CLUBHOUSE

614 B RALEIGH STREET
OXFORD, NC

1 Inspection Visit Since 2026 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 3, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1), Surfacing Did Not Extend Six (6) Feet Beyond the External Limits of the Equipment or 3 Feet for Equipment Used Only by Children Less Than 2 Years of Age. (1), and Electrical Cords Were Accessible to Infants and Toddlers. (1). None of the 5 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Mar 3, 2026 5 Findings ● 5 Important

- **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**
The refrigerator in one of the classroom did not maintain a temperature of 45 degrees it was at 50 degrees. Violation confirmed corrected by letter received from provider on 3/17/2026
- **Surfacing Did Not Extend Six (6) Feet Beyond the External Limits of the Equipment or 3 Feet for Equipment Used Only by Children Less Than 2 Years of Age.**
Surfacing did not extend 6 feet beyond the external limits of the equipment or 3 feet for equipment used only by children less than
- **Electrical Cords Were Accessible to Infants and Toddlers.**
Electrical cords were accessible to infants in the infant room. Violation confirmed corrected by letter received from provider on 3/17/2026
- **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**
expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. Left over
- **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**
Plastic bags were accessible to children under three years of age. Violation confirmed corrected by letter received from provider on 3/17/2

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.