

CHRIST LIKE CHILD CARE

1914 DARLINGTON PLACE
GREENSBORO, NC

2 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 17, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were All Staff Records, Except Financial Records, Were Not Made Available for Review. (1), Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background... (1), and All Children's Records, Except Ones Regarding Administration of Medications as Referenced in rule.0803 (13), Were Not Retained on File for as Long as the Child... (1). None of the 5 findings were critical.

Inspection Visits

Feb 17, 2026 4 Findings ● 4 Important

● **All Staff Records, Except Financial Records, Were Not Made Available for Review.**

All staff records were off site and not available for review. Violation confirmed corrected by letter received from provider on 2/18/2026

● **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years for the date of issuance). A. Oliver submitted the required

● **All Children's Records, Except Ones Regarding Administration of Medications as Referenced in rule.0803 (13), Were Not Retained on File for as Long as the Child...**

was enrolled, and/or for at least one year from the date the child was no longer enrolled in the facility. The enroll child

● **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**

A. Oliver qualification letter expired on 1/28/26. Violation confirmed corrected by letter received from provider on 3/30/2026

Mar 7, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**

The mulch measured less than the required depth for the red climbing structure and the blue/yellow structure with the slide. The plastic lining underneath the mulch was exposed. Violatio

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.