

HONEYCOMB KIDS

6294 WELBORN ROAD
TRINITY, NC

2 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: May 13, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1), and Children's Records That Include an Application for Enrollment, Medical and Immunization Records, and Permission to Seek Emergency Medical Care Was Not on File... (1). None of the 5 findings were critical.

Inspection Visits

May 13, 2025 3 Findings ● 3 Important

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. One teacher did not have current First Aid training,

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. One teacher did not have current CPR training, it

● **Children's Records That Include an Application for Enrollment, Medical and Immunization Records, and Permission to Seek Emergency Medical Care Was Not on File...**

for each child. One child did not have a medical report on file. See children's records form. Violation confirmed corrected by

Feb 8, 2024 2 Findings ● 2 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

On the playground for toddlers, there were piles of rabbit poop in the mulched area. Violation confirmed corrected by letter received from provider on 1/12/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electric Fans Were Not Mounted Out of Reach or Did Not Have a Mesh Guard to Prevent Access.**

In the classroom for toddlers there was a small fan sitting on the teacher's desk. Violation confirmed corrected by letter received from provider on 1/12/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.