

PRECIOUS CHILD ACADEMY II

9814 PACKARD STREET
PINEVILLE, NC

2 Inspection Visits Since 2024 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Oct 28, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1), A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1), and Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1). None of the 5 findings were critical.

Inspection Visits

Oct 28, 2025 1 Finding ● 1 Important

● **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

In Space 1B, utensils wrapped in plastic and a baggies with small candy was stored on a shelf in a teacher caddy lower than five (5) feet a

Dec 9, 2024 4 Findings ● 4 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

The green slide on the toddler playground has a crack next to the platform. The platform has several missing boards. Violation confirmed corrected by letter received from provider on 12/17/2024

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. An electrical outlet was uncovered on the presc

● **Air Conditioning Units Were Accessible or Did Not Have a Guard to Keep Objects From Being Thrown Into the Unit.**

The fence around the HVAC unit closest to the door on the toddler playground was unlocked. The fence around the HVAC unit closest to the parking lot has a large hole allowin

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **A Drug or Medicine Was Administered After Its Expiration Date.**

Aquaphor diaper cream in Space 1B expired 10/2024. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.