

## SHERWOOD PARK ELEMENTARY

2115 HOPE MILLS ROAD  
FAYETTEVILLE, NC

### 3 Inspection Visits Since 2024 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Sep 11, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (2), All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), and All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement. (1). None of the 5 findings were critical.

### Inspection Visits

Sep 11, 2025 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Accessible to pre

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**Oct 8, 2024** 3 Findings ● 3 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

In the outdoor play area, a cement footing for the chain-link fence was exposed and caused a tripping hazard. Violation confirmed corrected by letter received from provider on 10/14/2024

● **All Staff, Including the Director, Did Not Have an Annual Health Questionnaire on File Following the Initial Medical Statement.**

An updated annual health questionnaire was not on file for the administrator. The violation was corrected when the administrator completed an updated health

● **Child Care Providers, Including the Director, Uncompensated Providers, Substitute Providers, and Volunteers Did Not Have the Required Emergency Information...**

Form on file on or before the first day of work, which included all the required information and/or the information on the form w

**Mar 12, 2024** 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

In the outdoor play area, a cement footing for the chain-link fence was exposed and caused a tripping hazard. Metal stakes were protruding and not flush with the black resin boarder surrounding the stationary equ

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.