

CRAMERTON FWB CHILD CARE

426 WOODLAWN EXT
CRAMERTON, NC

3 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: May 20, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (2), Prescribed Medicine Was Not in Original Labeled Container or Accompanied by Signed and Dated Written Instructions From Prescribing Physician or Health Care... (1), and Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1). None of the 5 findings were critical.

Inspection Visits

May 20, 2026 2 Findings ● 2 Important

● All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In the girls' re

● Prescribed Medicine Was Not in Original Labeled Container or Accompanied by Signed and Dated Written Instructions From Prescribing Physician or Health Care...

professional. In Space #8, one (1) prescription Albuterol Sulfate Inhalation Aerosol Inhaler for one (1) child, enrolled on June

Nov 18, 2025 1 Finding ● 1 Important

● Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.

The most recent playground inspection was conducted on September 5, 2025. Violation confirmed corrected by letter received from provider on 11/

Jun 4, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

In Space #2, there was no thermometer in the mini refrigerator used to store food and beverages for children. Violation corrected during visit

Corrected at visit

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In Space #5, one

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.