

ABC Village Academy

201 Oxford Outer Loop Road
OXFORD, NC

2 Inspection Visits Since 2025 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Apr 8, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet. (2), All Children Were Not Held or Placed in Feeding Chairs or Other Appropriate Apparatus to Be Fed. (1), and Bed, Cribs, Playpens, Cots or Mats Were Not Placed at Least 18" Apart or Separated by Partitions When in Use. (1). None of the 5 findings were critical.

Inspection Visits

Apr 8, 2026 3 Findings ● 3 Important

● **All Children Were Not Held or Placed in Feeding Chairs or Other Appropriate Apparatus to Be Fed.**

A child was not held or placed in a feeding chair or other appropriate apparatus to be fed she was drinking a bottle in the crib. Violation confirmed corrected by letter received from prov

● **Bed, Cribs, Playpens, Cots or Mats Were Not Placed at Least 18" Apart or Separated by Partitions When in Use.**

Violation corrected during visit

Corrected at visit

● **Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet.**

The top of the fence, less than six feet, was not free from protrusions. One part of the fence is not a minimum height of 4 feet. Violation confirmed corrected by letter received from provider on 4/16/2026

Dec 4, 2025 2 Findings ● 2 Important

● **An Individual Written Feeding Plan Was Not Provided by Child's Parent or Health Care Provider or Was Not Followed and Posted. (Omit Posting for Centers Located...**

in a residence) Three children did under 15 months did not have a feeding schedule posted. Violation confirmed corrected by I

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet.**

The top of the fence, less than six feet, was not free from protrusions. Three parts of the fence was not a minimum of 4 feet tall. Violation confirmed corrected by letter received from provider on 12/8/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.