

THE CHILDREN'S PLACE

7100 HOLLY SPRINGS ROAD
RALEIGH, NC

2 Inspection Visits Since 2023 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Apr 23, 2026

● 5 Important

Across 2 inspections since 2023, the issues cited most often were Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had... (1), Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least... (1), and A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1). None of the 5 findings were critical.

Inspection Visits

Apr 23, 2026 3 Findings ● 3 Important

- **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**
expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization.
Diaper Cr
- **Emergency Medical Care Information Was Not on File in the Center on the Child's First Day of Attendance And/or Was Not Updated as Changes Occurred or at Least...**
annually for each child. Emergency medical care information was not updated at least annually for one child. Violation confirm
- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**
care facility within five business days. Eight staff members have not been linked to your facility through the ABCMS. Violation

Jul 11, 2023 2 Findings ● 2 Important

- **Emergency Information Did Not Name Child's Health Care Professional.**
One medication form for an Epi pen was missing the physician's signature. Violation confirmed corrected by letter received from provider on 7/21/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**
The mulch on the preschool playground did not measure the required 6 inch depth. Violation confirmed corrected by letter received from provider on 7/21/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.