

FREEDOM TRAIL PRE-KINDERGARTEN

6110 N HWY 19E
ELK PARK, NC

2 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Mar 19, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Center Has Not Passed Required Sanitation Inspection and Received an Approved or Superior Rating. (1), Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 5 findings were critical.

Inspection Visits

Mar 19, 2026 3 Findings ● 3 Important

● **Center Has Not Passed Required Sanitation Inspection and Received an Approved or Superior Rating.**

The facility has not passed required sanitation inspection and received an approved or superior rating. The last sanitation inspection was conducted on 2/6/2025 with two (2) demerits fo

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. One (1) electrical outlet uncovered. In the h

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. One (1) containe

Oct 22, 2025 2 Findings ● 2 Important

● **All Equipment and Furnishings Were Not in Good Repair.**

While monitoring outdoors, one (1) green wagon was observed with a broken seat with sharp edges. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

One (1) adult screwdriver in an unlocked drawer near the classroom sink. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.