

ANGEL'S HOME DAYCARE

155 WILLIAMSON PL DR
PRINCETON, NC

3 Inspection Visits Since 2023 · 5 Findings · 60% Corrected at Visit

Most recent inspection: Oct 29, 2024

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Summary of the NC Child Care Law Was Not Posted with the Facility's License in a Prominent Place in the Home. (1), Safe Sleep Policy and Poster About Safe Sleep Practices Was Not Posted in a Prominent Place in the Infant Sleeping Room or Area Where Parents and Caregivers... (1), and The Written Plan of Care Was Not Given and Explained to Parents of Children in Care on or Before the First Day the Child Attended the Home. (1). None of the 5 findings were critical.

Inspection Visits

Oct 29, 2024 2 Findings ● 2 Important

- **Summary of the NC Child Care Law Was Not Posted with the Facility's License in a Prominent Place in the Home.**

Summary of Law was not posted. Violation corrected during visit

Corrected at visit

- **Safe Sleep Policy and Poster About Safe Sleep Practices Was Not Posted in a Prominent Place in the Infant Sleeping Room or Area Where Parents and Caregivers...**

are able to view daily. Safe sleep policy was not posted. Violation corrected during visit

Corrected at visit

May 7, 2024 1 Finding ● 1 Important

- **The Written Plan of Care Was Not Given and Explained to Parents of Children in Care on or Before the First Day the Child Attended the Home.**

Parents did not sign a statement acknowledging the receipt and explanation of the plan. Parents did not give written permission for their child

Nov 8, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Electrical Outlets Not in Use Were Not Covered.**

Violation corrected during visit

Corrected at visit

- **Refrigerator Was Not Maintained at a Temperature of 45 Degrees Fahrenheit or Below And/or Was Not Monitored by a Refrigerator Thermometer.**

The refrigerator was not monitored by a thermometer. Violation confirmed corrected by letter received from provider on 11/8/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.