

MACEDONIA EARLY LEARNING CENTER

401 LAKE AVE
HIGH POINT, NC

2 Inspection Visits Since 2026 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Jun 4, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had... (1), Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule. (1), and A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1). None of the 5 findings were critical.

Inspection Visits

Jun 4, 2026 4 Findings ● 4 Important

- **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**
expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. An expir
- **Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule.**
Updated permission for emergency medication to be administered had not been signed by the parent as required. Violation pending provider response
- **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**
Three classrooms did not have a current activity plan posted. Violation corrected during visit
Corrected at visit
- **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**
Aedquate surfacing was not available on the "trike path" playground surrounding the stationary equipment. Violation pending provider response

Jan 6, 2026 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Equipment and Furnishings Were Not in Good Repair.**

The fence located on the "head start playground" had several areas that were in poor condition. Violation confirmed corrected by letter received from provider on 1/23/2026

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.