

LITTLE RED SCHOOL HOUSE

2842 OLD GREENSBORO ROAD
WINSTON-SALEM, NC

3 Inspection Visits Since 2024 - 3 Findings - 0% Corrected at Visit

Most recent inspection: Apr 7, 2026

● 3 Important

Across 3 inspections since 2024, the issues cited most often were A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (2) and Child Care Providers Scheduled to Work in the Infant Room, Did Not Complete ITS-SIDS Training Within Two Months of Employment or Did Not Complete the Training... (1). None of the 3 findings were critical.

Inspection Visits

Apr 7, 2026 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

There are two protruding nails in the door frame and one sharp piece of metal within children's reach outside the door of space 6. Violation confirmed corrected by letter received from provider on 4/10/2026

May 6, 2025 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

A nail was missing from the back of one bookshelf in space 6, creating a pinching hazard. Two nails were protruding from the door jam in space 6, which could catch a child's foot. Violation corrected during visit

Nov 6, 2024 1 Finding ● 1 Important

● **Child Care Providers Scheduled to Work in the Infant Room, Did Not Complete ITS-SIDS Training Within Two Months of Employment or Did Not Complete the Training...**

every three years. Child care administrators did not complete the ITS-SIDS training within 90 days of employment and every thr

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.