

WESTSIDE HEAD START

710 HARRY STREET
CHINA GROVE, NC

3 Inspection Visits Since 2023 · 5 Findings · 20% Corrected at Visit

Most recent inspection: May 7, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and The Prevention of Shaken Baby Syndrome and Abusive Head Trauma Policy Was Not Reviewed with New Staff Prior to Providing Care with Children And/or a Signed... (1). None of the 5 findings were critical.

Inspection Visits

May 7, 2025 3 Findings ● 3 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. In Space 3, one outlet was not covered by a saf

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. A staff member hired on 1/9/2025 did not have certifi

● **The Prevention of Shaken Baby Syndrome and Abusive Head Trauma Policy Was Not Reviewed with New Staff Prior to Providing Care with Children And/or a Signed...**

acknowledgement with all the required information was not maintained in the staff person's file. The Prevention of Shaken Baby Sy

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Feb 1, 2024 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

The bracket at the end of the slide where the children land has rust and chipping/peeling blue paint that will need to be repaired or replaced. Violation confirmed corrected by letter received from provider on 2/14/

Sep 21, 2023 1 Finding ● 1 Important

● **All Records Required Were Not Available for Review by a Representative of the Division.**

The three new staff members did not have the new staff orientation form in their files. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.