

Childcare Network #54

430 West Sugar Creek
CHARLOTTE, NC

2 Inspection Visits Since 2026 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 20, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1), Medical Exam or Health Assessment Record Was Not on File Before or Within 30 Days After Admission. (1), and Enhanced Staff/child Ratios and Group Sizes Were Not Met. (1). None of the 5 findings were critical.

Inspection Visits

Apr 20, 2026 3 Findings ● 3 Important

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

The temperature of the refrigerator in the infant classroom was above 60 degrees F. Violation confirmed corrected by letter received from provider on 5/4/2026

● **Medical Exam or Health Assessment Record Was Not on File Before or Within 30 Days After Admission.**

A child's file did not contain the required health assessment. Violation confirmed corrected by letter received from provider on 5/4/2026

● **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

In space #5, there were ten (10) children two (2) years of age with one (1) staff member. Violation confirmed corrected by follow-up visit made by consultant on 4/27/2026

Jan 16, 2026 2 Findings ● 2 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The facility's approved fire inspection repo

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Activities and Allotted Times Reflected in the Schedule Were Not Developmentally Appropriate for the Children in Care.**

Children 3 years of age wait in a line for 10-15 minutes to use the bathroom. Violation confirmed corrected by letter received from provider on 1/28/2026

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.