

LASSITER'S CHILD CARE

82 HICKORY WAY
LOUISBURG, NC

2 Inspection Visits Since 2024 · 3 Findings · 33% Corrected at Visit

Most recent inspection: Feb 24, 2026

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Electrical Outlets Not in Use Were Not Covered. (1), Operator Did Not Wash His/her Hands Before, as Well as After, Diapering Each Child. (1), and All Indoor and Outdoor Areas Used by the Children Were Not Kept Clean, Orderly, and Free of Items Which Are Potentially Hazardous to Children Including Removal... (1). None of the 3 findings were critical.

Inspection Visits

Feb 24, 2026 2 Findings ● 2 Important

● **Electrical Outlets Not in Use Were Not Covered.**

There was an uncovered outlet near art center. Violation corrected during visit

Corrected at visit

● **Operator Did Not Wash His/her Hands Before, as Well as After, Diapering Each Child.**

Caregiver did not wash hands after every diaper change. Violation confirmed corrected by letter received from provider on 3/3/2026

Apr 3, 2024 1 Finding ● 1 Important

● **All Indoor and Outdoor Areas Used by the Children Were Not Kept Clean, Orderly, and Free of Items Which Are Potentially Hazardous to Children Including Removal...**

of items a child can swallow; the removal of loose nails or screws and splinters on inside; and use of outdoor equipment that

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.