

THE LEARNING EXPERIENCE

501 E BARBEE CHAPEL ROAD
CHAPEL HILL, NC

3 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 28, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Children Were Not Adequately Supervised at All Times. (1), The Written Feeding Plan Did Not Include the Child's Name, Parent Signature, And/or Was Not Dated When Received by the Center. (1), and Parent's Medication Authorization Did Not Include Required Information. (1). None of the 5 findings were critical.

Inspection Visits

Apr 28, 2026 1 Finding ● 1 Important

● **Children Were Not Adequately Supervised at All Times.**

A two-year old child was left unsupervised in the Twaddler classroom for two to three minutes on 4/15/26. Violation confirmed corrected by letter received from provider on 5/4/2026

Mar 17, 2026 3 Findings ● 3 Important

● **The Written Feeding Plan Did Not Include the Child's Name, Parent Signature, And/or Was Not Dated When Received by the Center.**

Two children in space #1, and one child in space #2 did not have a parent signature on the feeding schedule. Violation confirmed corrected by letter received

● **Parent's Medication Authorization Did Not Include Required Information.**

Diaper cream authorization forms had an expiration date of 2/28/2026 in space #1, 2, and 3. In space #6 a cream did not have a parent's medication authorization form. Violation confirmed corrected by letter received

● **Caregivers Did Not Document Compliance with Visually Checking on Sleeping Infants Aged 12 Months or Younger And/or the Documents Were Not Maintained for A...**

minimum of one month. A child in space #1 did not have documentation of being checked every fifteen minutes during today's visit.

May 22, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

The refrigerator in space #117 did not have a thermometer. I was unable to monitor if the refrigerator maintained 45 degrees Fahrenheit or below. Violation confirmed corrected by letter received from provider on

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.