

WARRENWOOD ELEMENTARY

4618 ROSEHILL RD
FAYETTEVILLE, NC

2 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 6, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1), Documentation of Staff's On-going Training Was Not on File And/or Was Not Current. (1), and Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

Feb 6, 2026 4 Findings ● 4 Important

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

An emergency drill log for the current 2025-2026 school year was not completed or available for review. Violation confirmed corrected by letter received from provider on 2/17/2026

● **Documentation of Staff's On-going Training Was Not on File And/or Was Not Current.**

Two staff members did not have documentation on file of trainings taken within the past year. Violation confirmed corrected by letter received from provider on 2/17/2026

● **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

An emergency drill log for the current 2025-2026 school year was not completed or available for review. Violation confirmed corrected by letter received from provider on 2/17/

● **Health and Safety Training Topics Were Not Included as Part of On-going Training Within Five Years of Completing the Previous Health and Safety Training Topics.**

One staff member did not have documentation on file of completing the required Recognizing and Responding to Suspicions of C

Feb 12, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The fire inspection was not completed in a 1

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.