

MY LITTLE GENIUS

1000 E 4TH STREET
WINSTON-SALEM, NC

2 Inspection Visits Since 2025 - 5 Findings - 40% Corrected at Visit

Most recent inspection: May 11, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Medical Exam or Health Assessment Record Was Not on File Before or Within 30 Days After Admission. (1), Only One Caregiver Was Required to Meet Staff/child Ratio, but the Name, Address and Telephone Number of Agreed Emergency Relief Was Not Posted or a Second... (1), and A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1). None of the 5 findings were critical.

Inspection Visits

May 11, 2026 1 Finding ● 1 Important

- **Medical Exam or Health Assessment Record Was Not on File Before or Within 30 Days After Admission.**
Two children did not have the medical exam on file within thirty days of enrollment. Violation confirmed corrected by letter received from provider on 5/22/2026

Jun 9, 2025 4 Findings ● 4 Important

- **Only One Caregiver Was Required to Meet Staff/child Ratio, but the Name, Address and Telephone Number of Agreed Emergency Relief Was Not Posted or a Second...**
adult was not on the premises for emergency relief. The emergency form listed two persons to be in charge during an emergency, h
- **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**
The activity plan was not dated in spaces 4 and 7. Violation corrected during visit
Corrected at visit
- **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**
There was no refrigerator thermometer in the refrigerator in space 2. Violation corrected during visit
Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Equipment and Furnishings Not Meeting the Requirements Outlined in Child Care .0601(b) and (C) Were Not Removed or Made Inaccessible.**

There was a broken plastic piece from a slide with sharp edges within reach of children on the playground. There was a curtain rod and curtains layin

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.