

EO YOUNG ELEMENTARY PRESCHOOL

6655 BROAD STREET
HENDERSON, NC

3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 24, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1), One Staff Member Had Not Completed Training in Playground Safety. (1), and A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1). None of the 5 findings were critical.

Inspection Visits

Mar 24, 2026 3 Findings ● 3 Important

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

The last completed playground inspection was last conducted September 25, 2025. Violation confirmed corrected by letter received from provider

● **One Staff Member Had Not Completed Training in Playground Safety.**

Staff member T. McElhinney don't have playground and safety training. Violation confirmed corrected by letter received from provider on 4/8/2026

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. Staff members were not linked into the ABCMS Portal. Violation confirmed corrected by

Oct 30, 2025 1 Finding ● 1 Important

● **Prior to Employment a Criminal Background Check Was Not Completed.**

Teacher Assistant was working without Criminal Background Check completed. Violation confirmed corrected by letter received from provider on 11/13/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Oct 24, 2024 1 Finding ● 1 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. An electrical outlet on the surge power plug w

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.