

LITTLE RASCALS DAYCARE

1625 GRAY ROAD
CHOCOWINITY, NC

3 Inspection Visits Since 2023 · 3 Findings · 67% Corrected at Visit

Most recent inspection: May 14, 2025

● 3 Important

Across 3 inspections since 2023, the issues cited most often were Electrical Outlets Not in Use Were Not Covered. (2) and Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, and Products Under Pressure in an Aerosol Dispenser and Any Substance That May Be... (1). None of the 3 findings were critical.

Inspection Visits

May 14, 2025 1 Finding ● 1 Important

● **Electrical Outlets Not in Use Were Not Covered.**

Located in the bathroom the outlet by the sink did not have a safety cover. Violation corrected during visit

Corrected at visit

Nov 29, 2023 1 Finding ● 1 Important

● **Electrical Outlets Not in Use Were Not Covered.**

An electrical on the wall near the bathroom did not have a safety cover. Violation corrected during visit

Corrected at visit

Jul 6, 2023 1 Finding ● 1 Important

● **Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, and Products Under Pressure in an Aerosol Dispenser and Any Substance That May Be...**

hazardous to a child if ingested, inhaled, or handled were not kept in locked storage when children were in care. A basket of clea

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.