

AUNIE'S PLACE PRESCHOOL

5516 OCRACOKE COURT
RALEIGH, NC

1 Inspection Visit Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 14, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, and Products Under Pressure in an Aerosol Dispenser and Any Substance That May Be... (1), Operator Did Not Maintain Accurate Daily Attendance Records Including Documentation of Arrival and Departure for All Children in Care, Including the Operator's... (1), and The Operator Did Not Conduct a Monthly Fire Drill. (1). None of the 5 findings were critical.

Inspection Visits

Feb 14, 2025 5 Findings ● 5 Important

● **Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, and Products Under Pressure in an Aerosol Dispenser and Any Substance That May Be...**

hazardous to a child if ingested, inhaled, or handled were not kept in locked storage when children were in care. The kitchen and

● **Operator Did Not Maintain Accurate Daily Attendance Records Including Documentation of Arrival and Departure for All Children in Care, Including the Operator's...**

own preschool children. Attendance was not completed for the past two days, February 13, 2025 and February 14, 2025. Violatio

● **The Operator Did Not Conduct a Monthly Fire Drill.**

The last fire drill was documented as conducted in December 2024. Fire drills must be conducted and documented on a monthly basis. Violation confirmed corrected by letter received from provider on 2/28/2025

● **Required Locked Storage Was Not Secure with Combination Locks, Electronic, or Magnetic Devices, Key, or Equivalent Locking Devices.**

The outside storage shed was found to be unlocked today. The water heater and outdoor supplies are housed in this area. This outside storage area must re

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Documentation of the Operator's Emergency Preparedness and Response Plan Was Not Completed And/or Maintained on the Template Provided by the Division Of...**

Emergency Management. The provider's EPR plan was found to be expired during today's visit. This document must be updated on an annu

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.