

NORTH COVE ELEMENTARY PRESCHOOL

401 AMERICAN THREAD ROAD
MARION, NC

3 Inspection Visits Since 2023 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Nov 18, 2025

● 5 Important

Across 3 inspections since 2023, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), Staff Did Not Model Appropriate Eating Behaviors by Consuming Food or Beverages That Meet the Nutritional Requirements Specified in the Meal Patterns For... (1), and The Prevention of Shaken Baby Syndrome and Abusive Head Trauma Policy Was Not Reviewed with New Staff Prior to Providing Care with Children And/or a Signed... (1). None of the 5 findings were critical.

Inspection Visits

Nov 18, 2025 2 Findings ● 2 Important

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. In space #1, one electrical outlet located unde

- **Staff Did Not Model Appropriate Eating Behaviors by Consuming Food or Beverages That Meet the Nutritional Requirements Specified in the Meal Patterns For...**

Children in Child Care Programs in the presence of children in care. One EC staff ate lunch at the table in the cafeteria with the

Apr 15, 2025 1 Finding ● 1 Important

- **The Prevention of Shaken Baby Syndrome and Abusive Head Trauma Policy Was Not Reviewed with New Staff Prior to Providing Care with Children And/or a Signed...**

acknowledgement with all the required information was not maintained in the staff person's file. A substitute, present today, had

Nov 2, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

A fire inspection was conducted on 10/4/23. The previous inspections was conducted on 8/2/22. Violation confirmed corrected by letter received from provider on 11/16/2023

- **Equipment and Furnishings Were Not Sturdy, Stable and Free of Hazards.**

The metal fence surrounding the playground had peeling paint in a number of places. Violation confirmed corrected by letter received from provider on 11/16/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.