

SALEMBURG ELEMENTARY

404 E COLLEGE ST
SALEMBURG, NC

2 Inspection Visits Since 2025 · 5 Findings · 40% Corrected at Visit

Most recent inspection: Apr 21, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), and A Valid Qualification Letter Was Not on File and Available to Review at the Facility. (1). None of the 5 findings were critical.

Inspection Visits

Apr 21, 2026 4 Findings ● 4 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. An electrical outlet accessible to children was

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. An aerosol can of

● **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**

The qualification letter for a private duty nurse, employed by an outside agency and is left alone with a child, was not available for review at the facility. Violation corrected during visit

Corrected at visit

● **NC Pre-K Program Staff/child Ratios and Group Sizes Were Not Met.**

During today's visit, one caregiver was responsible for a group of seventeen (17) children, ages 4-5 years old. The staff/child ratio for this group is 1:10. Violation confirmed corrected by follow-up visit made by cons

May 1, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Staff/child Ratios Applicable to a Classroom, Were Not Posted in Each Classroom.**

In space 1, a staff/child ratios form applicable to the classroom was not posted as required by the rule. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.