

SPEEDWAY ACADEMY

217 BRANCHVIEW DR SE
CONCORD, NC

3 Inspection Visits Since 2024 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Apr 24, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Each Child Was Not Attended to in a Nurturing and Appropriate Manner, or in Keeping with the Child's Developmental Needs. (1), A Child Was Handled in a Rough Way, Including Shaking, Pushing, Shoving, Pinching, Slapping, Biting, Kicking, or Spanking. (1), and All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

Apr 24, 2025 2 Findings ● 2 Important

- **Each Child Was Not Attended to in a Nurturing and Appropriate Manner, or in Keeping with the Child's Developmental Needs.**

A staff member stated that a toddler teacher was observed grabbing children by their clothing in a rough manner. Two staff members stated that they observed teache

- **A Child Was Handled in a Rough Way, Including Shaking, Pushing, Shoving, Pinching, Slapping, Biting, Kicking, or Spanking.**

A staff member stated that they physically disciplined their child who is enrolled while at the facility. Violation confirmed corrected by letter received from pr

Apr 15, 2025 1 Finding ● 1 Important

- **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. A staff member hired on 2/25/25 did not have a First

May 1, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Equipment and Furnishings Were Not in Good Repair.**

On the playground used by preschool aged children there was a little tykes kitchen play set that was missing the door. One orange stationary train structure on the playground used by preschool aged children had rust, chipping, and

- **Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule.**

There were 3 diaper cream medication permission to administer forms did not list a sizable amount to administer. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.