

PROVIDENCE PREPARATORY SCHOOL

3031 PROVIDENCE ROAD
CHARLOTTE, NC

3 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Mar 30, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Children Were Not Adequately Supervised at All Times. (1), Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had... (1), and A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1). None of the 5 findings were critical.

Inspection Visits

Mar 30, 2026 1 Finding ● 1 Important

● **Children Were Not Adequately Supervised at All Times.**

In Space 5, on March 20, 2026 a two (2) year old child was left on the outside backyard are for approximately six (6) minutes. Violation corrected during visit

Corrected at visit

Feb 17, 2026 2 Findings ● 2 Important

● **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**

expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. In Space

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. Three (3) new staff members were not added to ABCMS within five (5) business days from

Aug 21, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The annual fire inspection was completed Jul

- **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

In Space 6, a fixture was rusted on a water dispenser accessible to children. Violation confirmed corrected by letter received from provider on 8/28/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.