

KINDERCARE LEARNING CENTER

401 SOUTH SOUTH STREET
MOUNT AIRY, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 10, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair. (2), A Drug or Medicine Was Administered After Its Expiration Date. (1), and All Equipment and Furnishings Were Not in Good Repair. (1). None of the 5 findings were critical.

Inspection Visits

Mar 10, 2026 2 Findings ● 2 Important

- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

In space 5 chipping paint was observed on a wall under the window near the bathroom. Violation confirmed corrected by letter received from provider on 3/17/2026

- **A Drug or Medicine Was Administered After Its Expiration Date.**

In space 3 one diaper ointment, Destin expired January 2026. Violation confirmed corrected by letter received from provider on 3/17/2026

Oct 3, 2025 3 Findings ● 3 Important

- **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

The FRP (fiberglass reinforced plastic) panel on the wall in Space 6 at the children's bookshelf was cracked and loose from the wall. Violation confirmed correcte

- **All Equipment and Furnishings Were Not in Good Repair.**

The rubber surfacing on the steps and platform on one of climbing/slide structures on Playground 2, is peeling and cracked. The damaged areas had been covered with duct tape that was loosened by use and weather. Violation confirme

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. A bottle of Kay

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.