

NEBO ELEMENTARY PRESCHOOL PROGRAM

254 NEBO SCHOOL ROAD
NEBO, NC

3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Feb 16, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (2), Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container. (1), and Over-the-counter Medicines Were Not in Their Original Containers or Administered as Authorized in Writing by Parent, Physician or Authorized Health... (1). None of the 5 findings were critical.

Inspection Visits

Feb 16, 2026 1 Finding ● 1 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection was conducted on 12

Mar 13, 2025 2 Findings ● 2 Important

- **Medications Including Prescription and Non-prescription Items Were Not Stored in a Locked Cabinet or Other Locked Container.**

In space # 3, a bottle of Children's Allergy Relief over-the-counter medication was in the emergency bag and not in locked storage. Violation corrected during v

- **Over-the-counter Medicines Were Not in Their Original Containers or Administered as Authorized in Writing by Parent, Physician or Authorized Health...**

professional. In space #3, a permission to administer medication form listed Benadryl as the medication. The over-the-counter mediation w

Jan 3, 2024 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. A fire inspection was conducted on 8/2/22. T

- **All Equipment and Furnishings Were Not in Good Repair.**

The fence surrounding the playground has a hole approximately 18 inches in diameter. The platform has decayed boards in one area and on one the side of the platform. Violation confirmed corrected by letter received from provider
o

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.