

CADENCE ACADEMY PRESCHOOL, MALLARD

9625 MALLARD GLEN ROAD
CHARLOTTE, NC

1 Inspection Visit Since 2026 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 12, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), The Written Feeding Plan Was Not Modified as the Child's Needs Changed. (1), and All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair. (1). None of the 5 findings were critical.

Inspection Visits

Feb 12, 2026 5 Findings ● 5 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The annual fire inspection was due 8/6/25. T

● **The Written Feeding Plan Was Not Modified as the Child's Needs Changed.**

One (1) child under 15 months of age was observed eating table food provided by the center. The posted feeding schedule was not updated to indicate the child could be served table food. Violation confirmed correct

● **All Walls and Ceilings Including Doors and Windows Were Not Kept Clean, Free of Visible Fungal Growth, and in Good Repair.**

Walls in Spaces 2 - 11 were observed with peeling paint and chipped drywall. Violation confirmed corrected by letter received from provider on 2/26/2026

● **Potentially Hazardous Items Including but Not Limited to Power Tools, Nails, Chemicals, Propane Stoves, Lawn Mowers, Gasoline, or Kerosene Were Not Stored In...**

locked areas, removed from the premises, or made inaccessible to children. Exposed nails were observed on a fence board that wa

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Caulk, spray pain

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.