

BATTLEGROUND ELEMENTARY PRE-K

301 JEB SEAGLE DRIVE
LINCOLNTON, NC

3 Inspection Visits Since 2024 · 5 Findings · 20% Corrected at Visit

Most recent inspection: May 12, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

May 12, 2026 3 Findings ● 3 Important

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. In space #1, one electrical outlet not in use w

- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. One staff member, Kelly Withrow, employed on July 1, 2025, and one staff member, Britta

- **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

A lockdown drill was completed on November 14, 2026, and the next shelter-in-place drill was not completed until March 4, 2026. Violation corrected during visit

Corrected at visit

Feb 25, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In the sink room

Sep 25, 2024 1 Finding ● 1 Important

● **Daily Records of Arrival and Departure Times for Children Enrolled at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made...**

available for review. Fourteen children were not signed out on September 6, 2024, and September 23, 2024. One child was not signed ou

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.