

SMALL MIRACLES CHILD CARE

1031 WILMINGTON RD
TURKEY, NC

2 Inspection Visits Since 2025 · 4 Findings · 0% Corrected at Visit

Most recent inspection: Jan 27, 2026

● 4 Important

Across 2 inspections since 2025, the issues cited most often were Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background... (1), Operator Did Not Successfully Complete a First Aid Course as Referenced in Rule.1702(b)(2) First Aid Training Was Not Renewed on or Before the Expiration Of... (1), and Operator Did Not Successfully Complete a CPR Course as Referenced in Rule.1702(b)(2) CPR Training Was Not Renewed on or Before the Expiration of The... (1). None of the 4 findings were critical.

Inspection Visits

Jan 27, 2026 1 Finding ● 1 Important

- **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years from the date of issuance). The provider's qualification le

Jun 18, 2025 3 Findings ● 3 Important

- **Operator Did Not Successfully Complete a First Aid Course as Referenced in Rule.1702(b)(2) First Aid Training Was Not Renewed on or Before the Expiration Of...**

the certification. The operator did not renew first aid before the certification expired 2/9/25. First aid training was complet

- **Operator Did Not Successfully Complete a CPR Course as Referenced in Rule.1702(b)(2) CPR Training Was Not Renewed on or Before the Expiration of The...**

certification. the operator did not renew CPR training before the certification expired 2/9/25. CPR training was completed as of 5/27/2

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Bacteriological Analysis Indicating the Water Is Free of Bacteria Had Not Been Performed on a Sample of Water From Each Well Used for the Children's Water...**

supply every two years. Results were not kept on file in the home. The well water test on file had expired as of 4/1/25. A new we

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.