

A ROYAL START

4201 FURNITURE AVE
JAMESTOWN, NC

2 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jan 13, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background... (1), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

Inspection Visits

Jan 13, 2026 3 Findings ● 3 Important

● **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**

check (a qualification letter is valid for a maximum of five years for the date of issuance). One staff member had an expired

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. One staff had an expired First Aid training. Violation

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. One staff had an expired CPR course training. Violation

Oct 30, 2025 2 Findings ● 2 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection was completed 08/16

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **The Child Care Center Was Not Free of Lead Poisoning Hazards as Defined in G.S. 1130A-131.7(7).**
Lead testing has not been completed. Violation confirmed corrected by letter received from provider on 12/9/2025

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.