

## Elizabeth Lane Elementary ASEP

121 Elizabeth Lane  
MATTHEWS, NC

### 3 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Feb 5, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were The Child Care Administrator and All Staff Did Not Complete the Recognizing and Responding to Suspicions of Child Maltreatment Training Within 90 Days Of... (1), All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care. (1), and All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care. (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 5, 2026** 1 Finding ● 1 Important

● **The Child Care Administrator and All Staff Did Not Complete the Recognizing and Responding to Suspicions of Child Maltreatment Training Within 90 Days Of...**

employment. One new staff member hired 11/17/2025 completed the training 1/7/2022. Violation confirmed corrected by letter received

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**Oct 27, 2025** 3 Findings ● 3 Important

● **All Staff Did Not Successfully Complete Certification in First Aid Appropriate to the Age of Children in Care.**

Verification of staff completion of First Aid training from an approved training organization was not in the staff file. One (1) substitute stated she did not have current Fi

● **All Staff Did Not Successfully Complete Certification in CPR Training Appropriate to the Age of the Children in Care.**

Verification of staff completion of the CPR course from an approved training organization was not in the staff file. One (1) substitute stated she did not have current

● **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

In Cafeteria, children were observed arriving at 2:40 pm. At 2:41 pm Groups 1 and 3 were combined. The ratio was 1:21. At 2:45 pm, Groups 1 and 3 were still combined. The ratio was 1:32. Violation confirmed corrected by follow-

**Feb 10, 2025** 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. Lysol disinfectan

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.