

# JULIA STREET MONTESSORI SCHOOL

15 JULIA STREET  
ASHEVILLE, NC

## 2 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Mar 18, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For... (1), and Each Employee's Personnel File Did Not Contain a Signed and Dated Statement That They Received a Job Description and That They Have Received Personnel And... (1). None of the 5 findings were critical.

## Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. Two (2) staff were not connected to the facility in the ABCMS provider portal. Violati

Sep 3, 2025 4 Findings ● 4 Important

● **Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For...**

review. Arrival and departure times of all children were not documented. Violation confirmed corrected by letter received from

● **Each Employee's Personnel File Did Not Contain a Signed and Dated Statement That They Received a Job Description and That They Have Received Personnel And...**

operational policies. One (1) staff, hire date 8/22/25, did not have a signed acknowledgement that they have received and reviewed

● **Medical Exam or Health Assessment Record Was Not on File Before or Within 30 Days After Admission.**

The health assessment was not on file for one (1) child, enrollment date 11/27/24. Violation confirmed corrected by letter received from provider on 9/4/2025

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **The Depth of the Loose Surfacing Was Not Based on Critical Height of the Equipment.**

The mulch at the base of the slide measured between four (4) to five (5) inches. Violation confirmed corrected by letter received from provider on 9/4/2025

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.