

# OAKCREST PREPARATORY ACADEMY

14732 LANCASTER HIGHWAY  
PINEVILLE, NC

## 3 Inspection Visits Since 2024 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Jul 31, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), Electrical Cords Were Accessible to Infants and Toddlers. (1), and Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1). None of the 5 findings were critical.

## Inspection Visits

**Jul 31, 2025** 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In Spaces 6 and 1

**Feb 4, 2025** 2 Findings ● 2 Important

● **Electrical Cords Were Accessible to Infants and Toddlers.**

In Space 4 the electrical cord from a sound machine was accessible to children. Violation confirmed corrected by letter received from provider on 2/6/2025

● **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

In Spaces 8 and 9, cotton balls were accessible to children. In Space 9 musical instruments were in a bag labeled not for children under th

**Feb 8, 2024** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **All Equipment and Furnishings Were Not in Good Repair.**

A plastic bin storing material on a shelf in the dramatic play area, accessible to children in care was observed cracked. Violation corrected during visit

Corrected at visit

- **First Aid Kit And/or Fire Extinguisher Was Not Located in Vehicle; Kit And/or Extinguisher Was Not Mounted or Secured if in Passenger Area.**

Bus 1 the first aid kit was observed in the front open compartment on the passenger side of the van. Van 2 the fire extinguisher was observed in

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.