

DUBLIN PRIMARY PRESCHOOL PROGRAM

7048 ALBERT STREET

DUBLIN, NC

4 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Sep 11, 2025

● 5 Important

Across 4 inspections since 2024, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

Sep 11, 2025 2 Findings ● 2 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The last fire inspection was completed on Se

- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. The program has not completed the ABCMS Provider Portal to show current and new staff e

Feb 27, 2025 1 Finding ● 1 Important

- **Shelter-in-place or Lockdown Drills Were Not Practiced Every Three Months And/or Drill Record Was Incomplete.**

The last documented shelter-in-place/lockdown drill was conducted on October 8, 2024. There was no documentation to show a shelter-in-place/lockdown drill was conducted in Jan

Oct 31, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **All Equipment and Furnishings Were Not in Good Repair.**

There are rusty bolts exposed on the bottom of the metal shade structure. Violation confirmed corrected by letter received from provider on 12/11/2024

Oct 2, 2024 1 Finding ● 1 Important

● **All Equipment and Furnishings Were Not in Good Repair. 1.**

Grass had grown into the tricycle path, which is a tripping hazard when children are riding the tricycles. 2. There were rusty bolts that were exposed on the bottom of the metal shade structure. Violation confirmed corrected by

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.