

WRIGHTSBORO ELEMENTARY

2716 CASTLE HAYNE ROAD
WILMINGTON, NC

3 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Mar 30, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1), Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), and A Valid Qualification Letter Was Not on File and Available to Review at the Facility. (1). None of the 5 findings were critical.

Inspection Visits

Mar 30, 2026 1 Finding ● 1 Important

● **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In the breezeway

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Sep 22, 2025 3 Findings ● 3 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Hanging bulb lights in space 305 did not have s

● **A Valid Qualification Letter Was Not on File and Available to Review at the Facility.**

A new staff member who is qualified to work in child care did not have a copy of her qualification letter on file. Violation confirmed corrected by letter received from provider on 9/24/2025

● **The Prevention of Shaken Baby Syndrome and Abusive Head Trauma Policy Was Not Reviewed with New Staff Prior to Providing Care with Children And/or a Signed...**

acknowledgement with all the required information was not maintained in the staff person's file. A new hire did not have a signed

Sep 10, 2025 1 Finding ● 1 Important

● **Children Used Space That Was Not Approved.**

Children were present and utilizing space 302 which had not yet been approved by our agency. All inspections were received and the space was approved during the visit. Violation corrected during visit

Corrected at visit

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.