

CHESTERBROOK ACADEMY

10200 STRICKLAND ROAD
RALEIGH, NC

4 Inspection Visits Since 2023 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Mar 18, 2026

● 5 Important

Across 4 inspections since 2023, the issues cited most often were A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), A Drug or Medication Was Administered Without Written Authorization And/or Instructions From a Child's Parent or Authorized Health Professional. (1), and Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That... (1). None of the 5 findings were critical.

Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

The activity plan posted in space #5 was dated March 9 to March 13, 2026. Violation corrected during visit

Corrected at visit

Apr 7, 2025 2 Findings ● 2 Important

● **A Drug or Medication Was Administered Without Written Authorization And/or Instructions From a Child's Parent or Authorized Health Professional.**

In space #4 there was no permission to administer Benadryl to a child. Violation confirmed corrected by letter received from provider on 4/8

● **Application Did Not Have a Medical Action Plan Attached for Any Child with Health Care Needs Such as Allergies, Asthma, or Other Chronic Conditions That...**

require specialized health services. The Seizure Action Plan in space #1 was dated 8-7-23. Violation confirmed corrected by letter r

Oct 3, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File...**

prior to employment that was signed by a health care professional and/ or the medical report was older than 12 months.
One chil

Oct 10, 2023 1 Finding ● 1 Important

● **All Stationary Equipment, More Than 18 Inches High, Was Not Installed Over Protective Surfacing.**

The mulch in the fall zone of the swings and two play structures only measured two inches deep in some areas.
Violation confirmed corrected by letter received from provider on 10/23/2023

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.