

GUY'S SCHOOLS, INC.

985 SOUTH MCPHERSON CHURCH RD
FAYETTEVILLE, NC

3 Inspection Visits Since 2024 - 5 Findings - 20% Corrected at Visit

Most recent inspection: Jul 17, 2025

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Children Under One Year of Age Were Not Kept Separate From Children Two Years and Older. (1), Child Care Providers Scheduled to Work in the Infant Room, Did Not Complete ITS-SIDS Training Within Two Months of Employment or Did Not Complete the Training... (1), and Center Has Not Passed Required Sanitation Inspection and Received an Approved or Superior Rating. (1). None of the 5 findings were critical.

Inspection Visits

Jul 17, 2025 1 Finding ● 1 Important

● **Children Under One Year of Age Were Not Kept Separate From Children Two Years and Older.**

In space #1, there was one child under one year of age, grouped with one child three years of age. Violation confirmed corrected by follow-up visit made by consultant on 7/30/2025

Jan 29, 2025 1 Finding ● 1 Important

● **Child Care Providers Scheduled to Work in the Infant Room, Did Not Complete ITS-SIDS Training Within Two Months of Employment or Did Not Complete the Training...**

every three years. Child care administrators did not complete the ITS-SIDS training within 90 days of employment and every thr

Mar 11, 2024 3 Findings ● 3 Important

● **Center Has Not Passed Required Sanitation Inspection and Received an Approved or Superior Rating.**

The facility received a disqualified sanitation inspection during today's visit (3/11/24). Violation confirmed corrected by letter received from provider on 3/25/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Perishable Foods Were Not Stored to Protect Against Spoilage.**

One large storage bowl of spoiled white rice was stored in the refrigerator. Violation corrected during visit

Corrected at visit

● **All Floors and Floor Coverings Were Not Constructed of Nonabsorbant, Easily Cleanable Material.**

Floor mats throughout the establishment were fraying. The floor under the teachers sitting chair in space #1, was observed with black build-up. Blue floor mats in front of the diaper chan

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.