

Awaken Childcare

139 Rockfish Plaza
WALLACE, NC

3 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Apr 15, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were A Person(s) Was Smoking in a Vehicle Used to Transport Children or on the Premises of the Child Care Center. (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File... (1). None of the 5 findings were critical.

Inspection Visits

Apr 15, 2026 2 Findings ● 2 Important

● **A Person(s) Was Smoking in a Vehicle Used to Transport Children or on the Premises of the Child Care Center.**

On April 7, 2026, and April 13, 2026, a staff member was observed using a vape in the staff lounge. Violation confirmed corrected by letter received from provider on 4/21/2026

● **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**

care facility within five business days. On April 15, 2026, the center's ABCMS provider portal was not current with all staff. V

Feb 19, 2026 1 Finding ● 1 Important

● **Child Care Providers and Uncompensated Providers Who Are Not Substitute Providers or Volunteers, Including the Director Did Not Have a Medical Report on File...**

prior to employment that was signed by a health care professional and/ or the medical report was older than 12 months. One staf

Jun 23, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. One electrical outlet in the preschool classroom

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In space 2 a bott

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.