

# BEACON LEARNING ACADEMY RTP

1900 SEDWICK RD  
DURHAM, NC

## 1 Inspection Visit Since 2024 · 2 Findings · 50% Corrected at Visit

Most recent inspection: May 28, 2024

● 2 Important

Across 1 inspection since 2024, the issues cited most often were Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate... (1) and All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance... (1). None of the 2 findings were critical.

## Inspection Visits

**May 28, 2024** 2 Findings ● 2 Important

- **Human Milk, Formula and Other Bottled Beverages Including Sippy Cups, Sent From Child's Home Were Not Fully Prepared, Dated, and Labeled for the Appropriate...**

child. Three bottles in space #8 were not dated. Violation corrected during visit

Corrected at visit

- **All Corrosive Agents, Pesticides, Bleaches, Detergents, Cleansers, Polishes, Any Product Which Is Under Pressure in an Aerosol Dispenser, and Any Substance...**

which may be hazardous to a child if ingested, inhaled, or handled were not stored in a locked room or cabinet. In space #5 a bot

### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.