

THE SUNSHINE HOUSE

5825 PHYLISS LANE
MINT HILL, NC

1 Inspection Visit Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: Nov 25, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1), A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), and Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1). None of the 5 findings were critical.

Inspection Visits

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Nov 25, 2025 5 Findings ● 5 Important

● **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. An annual fire inspection was not completed.

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

In space #9 a current activity plan was not posted nor available for review. Violation confirmed corrected by letter received from provider on 12/9/2025

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

Fire Drills were not conducted for 7/2025 and 8/2025. Violation confirmed corrected by letter received from provider on 12/9/2025

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. One (1) outlet cover was left uncovered in spac

● **The EMC Plan Did Not Name the Person Responsible, and at Least One Alternate, for Choosing and Carrying Out the Plan of Action to Obtain Appropriate Medical...**

care. The EMC plans were not all updated throughout the building, names of person's responsible were not current. Violation conf

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.