

EXCEL LEARNING CENTERS #6

610 FONTANA BLVD
HAVELOCK, NC

3 Inspection Visits Since 2023 · 4 Findings · 50% Corrected at Visit

Most recent inspection: Jan 21, 2025

● 4 Important

Across 3 inspections since 2023, the issues cited most often were A Current Activity Plan Was Not Posted for Each Group of Children for Reference. (1), Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below. (1), and Children Were Not Adequately Supervised at All Times. (1). None of the 4 findings were critical.

Inspection Visits

Jan 21, 2025 2 Findings ● 2 Important

● **A Current Activity Plan Was Not Posted for Each Group of Children for Reference.**

A current activity plan was not posted in indoor space #6. The activity plan posted was dated January 13, 2025, through January 17, 2025. Violation corrected during visit

Corrected at visit

● **Refrigerator(s) Did Not Maintain a Temperature of 45 Degrees F. or Below.**

A thermometer was not in the refrigerator in the kitchen; therefore, a temperature of 45 degrees F. or below could not be verified. Violation corrected during visit

Corrected at visit

Dec 18, 2024 1 Finding ● 1 Important

● **Children Were Not Adequately Supervised at All Times.**

On December 12, 2024, one (1) child, aged five (5) years old, was left on the bus in the facility's parking lot unsupervised for approximately three (3) to four (4) minutes. Violation confirmed corrected by letter received from pro

Jul 20, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

Plastic trash bags that could be torn apart and swallowed were accessible to children under three years of age in indoor space two (2). Vio

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.