

PRECIOUS LITTLE ONE'S

1444 CATAWBA RIVER ROAD
OLD FORT, NC

3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Jan 5, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Operator Did Not Maintain Accurate Daily Attendance Records Including Documentation of Arrival and Departure for All Children in Care, Including the Operator's... (1), A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child... (1), and The Operator Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Is Current. (1). None of the 5 findings were critical.

Inspection Visits

Jan 5, 2026 3 Findings ● 3 Important

- **Operator Did Not Maintain Accurate Daily Attendance Records Including Documentation of Arrival and Departure for All Children in Care, Including the Operator's...**
own preschool children. Documentation of arrival and departure of all children in care was not available for the month of Dec
- **A Child Care Operator Did Not Notify the Division of Any New Child Care Providers, as Defined in G.S. 110-90.2(a)(2), Who Were Hired or Moved Into the Child...**
care facility within five business days. The program has not established a provider portal facility roster in the ABCMS system.
- **The Operator Did Not Review the EPR Plan Annually or When Information in the Plan Changed to Ensure All Information Is Current.**
The EPR Plan annual review verification on file was dated February 27, 2018. Violation confirmed corrected by letter received from provider on 1/19/2026

Feb 3, 2025 1 Finding ● 1 Important

- **Prior to the Expiration Date of the Qualification Letter, the Child Care Provider Did Not Complete and Submit Required Forms to Complete a Criminal Background...**
check (a qualification letter is valid for a maximum of five years from the date of issuance). A household member, Zaylan Loga

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

Feb 16, 2024 1 Finding ● 1 Important

- **Bacteriological Analysis Indicating the Water Is Free of Bacteria Had Not Been Performed on a Sample of Water From Each Well Used for the Children's Water...**
supply every two years. Results were not kept on file in the home. The last bacteriological analysis was conducted on 2/17/22. Vi

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.